



# product Catalog 2023



Khoshbakht  
GROUP



#### CHINA OFFICE

- +86 159 5896 4000 / 188 5799 2910
- 3201, Floor 32, Block A, Jinrong Business District, Futian, Yiwu City, Zhejiang Province
- 19440, 4th Floor, Gate 35, Area G, Phase II, Yiwu International Trade City
- 19369, 4th floor, Gate no:33, L Area, Phase II, International Trade City, Yiwu



Khoshbakht  
GROUP

[www.khoshbakhtgroup.com](http://www.khoshbakhtgroup.com)

#### DUBAI OFFICE

- +971 52 531 40 40
- Shop No. 10, Al Tawakal Building, Al Borj Street, Baniyas Square, Deira, Dubai, UAE

**EBi max**  
Quality Lighten the world



## COMPANY PROFILE

Khoshbakht Group is a leading global exporting and importing company that was founded in 1991 with the goal of providing exceptional products and services to customers worldwide. Since then, the company have established strategic partnerships with manufacturers and distributors in order to offer high-quality products at competitive prices. With an extensive distribution network in Asia, Africa, and Europe, we are able to serve customers across the globe with efficiency and reliability.

Our main office is located in Zhejiang, China and we have active branches in UAE, Uzbekistan and Afghanistan. Khoshbakht Group is continuing its expansion plans to other countries as well. So far, the company has exclusive distributors in more than 33 countries and is continuously expanding its reach to new markets. Our comprehensive range of products includes agricultural and industrial machinery, construction tools and equipment, power tools, and other related products. All of our products are manufactured in compliance with international quality standards and offered at competitive prices to ensure maximum customer satisfaction. Our company is committed to fostering long term partnerships with our clients which are based on transparency, reliability and mutual trust.

### OUR VISION

To become a globally recognized leader in the export and import industry by providing exceptional products and services to customers worldwide, while maintaining our commitment to integrity, transparency, and social responsibility.

### OUR GOALS

- To continue providing top-quality products and exceptional customer service to our clients.
- To expand our distribution network to new regions and countries.
- To maintain innovative product offerings that meet the changing needs of the market and customers.

### OUR TEAM

Our team comprises of highly experienced professionals who are dedicated to providing exceptional customer service and ensuring the smooth running of our operations. We believe that their expertise and commitment are critical components of our success, which is why we invest considerable resources to ensure that they receive the necessary training and professional development to stay updated with the latest industry trends and best practices.

## CONTENTS

DEMOLITION HAMMER	1	WORKSHOP TOOLS	23
ROTARY HAMMER	2	ELECTRIC MOTOR	24
HAMMER DRILL	3	ELECTRIC MOTOR	25/26
IMPACT DRILL	4	DIRECT AIR COMPRESSOR	27
ELECTRIC DRILL	5/6	V BELT AIR COMPRESSOR	28
ANGLE GRINDER	7/8	OIL FREE AIR COMPRESSOR	29
ANGLE GRINDER	9	SURFACE PUMP	30/31
CARPENTRY TOOLS	10	ELECTRIC PUMP	32
CUTTER MACHINE	11	SUBMERSIBLE PUMP	33
ELECTRIC SAW	12	DIRTY WATER SEWAGE	34
MISCELLANEOUS TOOLS	13/14/15	SUBMERSIBLE PUMP	35/36
LITHIUM TOOLS	16	DC SOLAR PUMP	37
LITHIUM TOOLS	17	AC/DC SOLAR PUMP	41/42
GARDEN TOOLS	18	GASOLINE PUMP & ENGINE	43
WELDING MACHINE	19/20	GASOLINE GENERATOR	44
PORTABLE ELECTRIC CAR WASH	21	DIESEL SERIES	45/46
HIGH PRESSURE ELECTRIC CAR WASH	22	CONSTRUCTION MACHINERY	47



008615958984000  
www.khoshbakhtgroup.com



KHOSHBAKHT GROUP



008615958984000  
www.khoshbakhtgroup.com



KHOSHBAKHT GROUP



# DEMOLITION HAMMER



## One-StopTools Station



**EM-140** DEMOLITION HAMMER

POWER	1700W
VOLTAGE	220V-240V 50/60Hz
SPEED	1800r/min
PACKING SIZE	80x17x30CM
PACKING WEIGHT	23kg
Ctn Qty	1pcs



**EM-120A** DEMOLITION HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	1800r/min
PACKING SIZE	80x17x30CM
PACKING WEIGHT	23kg
Ctn Qty	1pcs



**EM-100A** DEMOLITION HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	1400r/min
PACKING SIZE	71x17x30CM
PACKING WEIGHT	22kg
Ctn Qty	1pcs



**EM-95A** DEMOLITION HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	1800r/min
PACKING SIZE	71x17x30CM
PACKING WEIGHT	21.7kg
Ctn Qty	1pcs



**EM-65A** DEMOLITION HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	1800r/min
PACKING SIZE	71x17x30CM
PACKING WEIGHT	21kg
Ctn Qty	1pcs



**EM-65B** DEMOLITION HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	1800r/min
PACKING SIZE	71x17x30CM
PACKING WEIGHT	19.5kg
Ctn Qty	1pcs

# ROTARY HAMMER



## One-StopTools Station



**EM-2030** ROTARY HAMMER

POWER	1450W
VOLTAGE	220V-240V 50/60Hz
SPEED	800r/min
PACKING SIZE	42.5x30.5x35.5CM
PACKING WEIGHT	17.5kg
DRILLING CAPACITY	Ø32mm



**EM-2029** ROTARY HAMMER

POWER	1600W
VOLTAGE	220V-240V 50/60Hz
SPEED	850r/min
PACKING SIZE	43.5x39.5x36.5CM
PACKING WEIGHT	22.5kg
DRILLING CAPACITY	Ø28mm



**EM-2032** ROTARY HAMMER

POWER	1800W
VOLTAGE	220V-240V 50/60Hz
SPEED	830r/min
PACKING SIZE	47x31.5x41.5CM
PACKING WEIGHT	27kg
DRILLING CAPACITY	Ø40mm



**EM-2031** ROTARY HAMMER

POWER	1700W
VOLTAGE	220V-240V 50/60Hz
SPEED	850r/min
PACKING SIZE	42.5x36.5x38CM
PACKING WEIGHT	18kg
DRILLING CAPACITY	Ø32mm



**EM-0810** DEMOLITION HAMMER

POWER	1200W
VOLTAGE	220V-240V 50/60Hz
SPEED	800r/min
PACKING SIZE	53.5x24x35CM
PACKING WEIGHT	14kg
Ctn Qty	2pcs



**EM-0835** DEMOLITION HAMMER

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	3200r/min
PACKING SIZE	53.5x24x35CM
PACKING WEIGHT	14kg
Ctn Qty	2pcs





# HAMMER DRILL



One-StopTools Station



**EM-28** HAMMER DRILL

POWER	900W
VOLTAGE	220V-240V 50/60Hz
SPEED	900r/min
PACKING SIZE	57x43.5x29.5CM
PACKING WEIGHT	23kg
Ctn Qty	5pcs



**EM-26** HAMMER DRILL

POWER	850W
VOLTAGE	220V-240V 50/60Hz
SPEED	900r/min
PACKING SIZE	57x43.5x29.5CM
PACKING WEIGHT	22kg
Ctn Qty	5pcs



**EM-24** HAMMER DRILL

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	900r/min
PACKING SIZE	57x43.5x29.5CM
PACKING WEIGHT	21kg
Ctn Qty	5pcs



**EM-20** HAMMER DRILL

POWER	600W
VOLTAGE	220V-240V 50/60Hz
SPEED	850r/min
PACKING SIZE	55x35.5x30.5CM
PACKING WEIGHT	17.8kg
Ctn Qty	5pcs



**EM-3031** ROTARY HAMMER

POWER	1200W
VOLTAGE	220V-240V 50/60Hz
SPEED	880r/min
PACKING SIZE	53.5x28x35CM
PACKING WEIGHT	14kg
Ctn Qty	2pcs



**EM-3032** ROTARY HAMMER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	880r/min
PACKING SIZE	53.5x28x35CM
PACKING WEIGHT	14kg
Ctn Qty	2pcs

# IMPACT DRILL



One-StopTools Station



**EM-2037** IMPACT DRILL

POWER	720W
VOLTAGE	220V-230V 50/60Hz
SPEED	2500r/min
PACKING SIZE	56x38.5x25CM
PACKING WEIGHT	20kg
DRILLING CAPACITY	Ø13mm



**EM-2041A** IMPACT DRILL

POWER	900W
VOLTAGE	220V-240V 50/60Hz
SPEED	2500r/min
PACKING SIZE	40x31.5x52.5CM
PACKING WEIGHT	24kg
DRILLING CAPACITY	Ø13mm



**EM-850** IMPACT DRILL

POWER	850W
VOLTAGE	220V-230V 50/60Hz
SPEED	2800r/min
PACKING SIZE	48x32x19CM
PACKING WEIGHT	12.8kg
DRILLING CAPACITY	Ø13mm



**EM-2028** IMPACT DRILL

POWER	810W
VOLTAGE	220V-240V 50/60Hz
SPEED	2500r/min
PACKING SIZE	30x37x30CM
PACKING WEIGHT	24kg
DRILLING CAPACITY	Ø13mm



**EM-500** IMPACT DRILL

POWER	500W
VOLTAGE	220V-240V 50/60Hz
SPEED	2500r/min
PACKING SIZE	49x31x48CM
PACKING WEIGHT	22kg
DRILLING CAPACITY	Ø13mm



**EM-500A** IMPACT DRILL

POWER	500W
VOLTAGE	220V-240V 50/60Hz
SPEED	2500r/min
PACKING SIZE	49x31x48CM
PACKING WEIGHT	22kg
DRILLING CAPACITY	Ø13mm





# ELECTRIC DRILL



## One-StopTools Station



**EM-2040** ELECTRIC DRILL

POWER	750W
VOLTAGE	220V-230V 50/60Hz
SPEED	2300r/min
PACKING SIZE	40x25x45.5CM
PACKING WEIGHT	15kg
DRILLING CAPACITY	Ø10mm



**EM-2036** ELECTRIC DRILL

POWER	600W
VOLTAGE	220V-230V 50/60Hz
SPEED	3000r/min
PACKING SIZE	50x41.5x25CM
PACKING WEIGHT	20kg
DRILLING CAPACITY	Ø10mm



**EM-450** ELECTRIC DRILL

POWER	600W
VOLTAGE	220V-240V 50/60Hz
SPEED	2300r/min
PACKING SIZE	40.5x25.5x43.5CM
PACKING WEIGHT	15kg
DRILLING CAPACITY	Ø10mm



**EM-700** ELECTRIC DRILL

POWER	700W
VOLTAGE	220V-230V 50/60Hz
SPEED	3000r/min
PACKING SIZE	51.5x35.5x23CM
PACKING WEIGHT	15.5kg
DRILLING CAPACITY	Ø10mm



**EM-350A** ELECTRIC DRILL

POWER	350W
VOLTAGE	220V-240V 50/60Hz
SPEED	2300r/min
PACKING SIZE	40.5x25.5x43.5CM
PACKING WEIGHT	14.5kg
DRILLING CAPACITY	Ø10mm



**EM-350** ELECTRIC DRILL

POWER	350W
VOLTAGE	220V-240V 50/60Hz
SPEED	2300r/min
PACKING SIZE	40.5x25.5x43.5CM
PACKING WEIGHT	14.5kg
DRILLING CAPACITY	Ø6.5mm

# ELECTRIC DRILL



## One-StopTools Station



**EM-3016** ELECTRIC DRILL

POWER	1000W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	40.5x30x24CM
PACKING WEIGHT	20kg
DRILLING CAPACITY	Ø16mm



**EM-450** ELECTRIC DRILL

POWER	400W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DRILLING CAPACITY	Ø6.5mm



**EM-3017** ELECTRIC DRILL

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	64.5x31.5x21CM
PACKING WEIGHT	24kg
DRILLING CAPACITY	Ø10mm



**EM-3018** ELECTRIC DRILL

POWER	300W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DRILLING CAPACITY	Ø10mm



**EM-6007** TORQUE DRILL

POWER	300W
VOLTAGE	220V-240V 50/60Hz
SPEED	0-3000r/min
PACKING SIZE	46x33x24CM
PACKING WEIGHT	15kg
DRILLING CAPACITY	Ø10mm



**EM-6008** TORQUE DRILL

POWER	200W
VOLTAGE	220V 50/60Hz
SPEED	0-3000r/min
PACKING SIZE	60x34x19.5CM
PACKING WEIGHT	23.5kg
DRILLING CAPACITY	Ø10mm





# ANGLE GRINDER



## One-StopTools Station



**EM-2020 ANGLE GRINDER**

POWER	1300W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	40.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-1000 ANGLE GRINDER**

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-2023 ANGLE GRINDER**

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	64.5x31.5x21CM
PACKING WEIGHT	24kg
DISC DIAMETER	110MM/115MM/125MM



**EM-900 ANGLE GRINDER**

POWER	900W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-2021 ANGLE GRINDER**

POWER	900W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	46x33x24CM
PACKING WEIGHT	19kg
DISC DIAMETER	110MM/115MM/125MM



**EM-800 ANGLE GRINDER**

POWER	850W
VOLTAGE	220V 50/60Hz
SPEED	11000r/min
PACKING SIZE	60x34x19.5CM
PACKING WEIGHT	23.5kg
DISC DIAMETER	110MM/115MM/125MM

# ANGLE GRINDER



## One-StopTools Station



**EM-3020 ANGLE GRINDER**

POWER	850W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	40.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-3021 ANGLE GRINDER**

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-2023 ANGLE GRINDER**

POWER	800W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	64.5x31.5x21CM
PACKING WEIGHT	24kg
DISC DIAMETER	110MM/115MM/125MM



**EM-3022 ANGLE GRINDER**

POWER	900W
VOLTAGE	220V-240V 50/60Hz
SPEED	11000r/min
PACKING SIZE	54.5x36.5x22CM
PACKING WEIGHT	20kg
DISC DIAMETER	110MM/115MM/125MM



**EM-2047 ELECTRIC POLISHER**

POWER	1300W
VOLTAGE	220V 50/60Hz
SPEED	600-3000r/min
PACKING SIZE	51x42x36CM
PACKING WEIGHT	24kg
DISC DIAMETER	100MM



**EM-2048 ELECTRIC POLISHER**

POWER	1300W
VOLTAGE	220V 50/60Hz
SPEED	600-3000r/min
PACKING SIZE	46x45x33CM
PACKING WEIGHT	22kg
DISC DIAMETER	100MM





# ANGLE GRINDER



## One-StopTools Station



**EM-2024 ANGLE GRINDER**

POWER	2100W
VOLTAGE	220V-230V 50/60Hz
SPEED	8500r/min
PACKING SIZE	50.5x24x30CM
PACKING WEIGHT	15kg
DISC DIAMETER	100MM



**EM-2022 ANGLE GRINDER**

POWER	2600W
VOLTAGE	220V-240V 50/60Hz
SPEED	6500r/min
PACKING SIZE	58x26x19CM
PACKING WEIGHT	13.2kg
DISC DIAMETER	230MM



**EM-2025 ANGLE GRINDER**

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	8000r/min
PACKING SIZE	50.5x24x30CM
PACKING WEIGHT	17kg
DISC DIAMETER	100MM



**EM-2026 ANGLE GRINDER**

POWER	2400W
VOLTAGE	220V-230V 50/60Hz
SPEED	6000r/min
PACKING SIZE	55x26x19CM
PACKING WEIGHT	13kg
DISC DIAMETER	230MM



**EM-3026 ANGLE GRINDER**

POWER	1000W
VOLTAGE	220V-240V 50/60Hz
SPEED	8000r/min
PACKING SIZE	50.5x24x30CM
PACKING WEIGHT	17kg
DISC DIAMETER	100MM



**EM-3025 ANGLE GRINDER**

POWER	2400W
VOLTAGE	220V-230V 50/60Hz
SPEED	6000r/min
PACKING SIZE	55x26x19CM
PACKING WEIGHT	13kg
DISC DIAMETER	230MM

# CARPENTRY TOOLS



## One-StopTools Station



**EM-2050 RECIPROCATING SAW**

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	2300r/min
PACKING SIZE	48x27.5x32.2CM
PACKING WEIGHT	17kg
BLADE DIAMETER	Ø115mm



**EM-2027 JIG SAW**

POWER	600W
VOLTAGE	220V-240V 50/60Hz
SPEED	600-3000r/min
PACKING SIZE	60x37x30CM
PACKING WEIGHT	24kg
BLADE DIAMETER	Ø65mm



**EM-3612 ELECTRIC ROUTER**

POWER	1600W
VOLTAGE	220V-230V 50/60Hz
SPEED	23000r/min
PACKING SIZE	60x42.5x26CM
PACKING WEIGHT	24kg
BLADE DIAMETER	Ø12mm



**EM-3608 ELECTRIC ROUTER**

POWER	1400W
VOLTAGE	220V-230V 50/60Hz
SPEED	26000r/min
PACKING SIZE	59x34x33CM
PACKING WEIGHT	22kg
BLADE DIAMETER	Ø8mm



**EM-2823 ELECTRIC PLANER**

POWER	600W
VOLTAGE	220V-230V 50/60Hz
SPEED	16000r/min
PACKING SIZE	37x33x46CM
PACKING WEIGHT	15kg
PLANNING	Ø2x2mm



**EM-2063 ELECTRIC TRIMMING**

POWER	350W
VOLTAGE	220V-230V 50/60Hz
SPEED	0-3500r/min
PACKING SIZE	CM
PACKING WEIGHT	kg
COLLECT CHUCK DIE	Ø6.35mm





# CUTTER MACHINE



One-StopTools Station



**EM-2045** CUT OFF MACHINE

POWER	2800W
VOLTAGE	220V-240V 50/60Hz
SPEED	3000r/min
PACKING SIZE	56x34x43CM
PACKING WEIGHT	16kg
BLADE DIAMETER	355mm



**EM-2044** CUT OFF MACHINE

POWER	2200W
VOLTAGE	220V 50/60Hz
SPEED	3000r/min
PACKING SIZE	56x34x43CM
PACKING WEIGHT	12.5kg
BLADE DIAMETER	355mm



**EM-2046** CUT OFF MACHINE

POWER	2800W
VOLTAGE	220V-240V 50/60Hz
SPEED	3000r/min
PACKING SIZE	56x34x43CM
PACKING WEIGHT	16kg
BLADE DIAMETER	355mm



**EM-235** CIRCULAR SAW

POWER	1800W
VOLTAGE	220V 50/60Hz
SPEED	3200r/min
PACKING SIZE	56x39x44CM
PACKING WEIGHT	27kg
BLADE DIAMETER	235mm



**EM-2043** CIRCULAR SAW

POWER	1200W
VOLTAGE	200V-230V 50/60Hz
SPEED	5000r/min
PACKING SIZE	50.5x32.5x35.5CM
PACKING WEIGHT	19kg
BLADE DIAMETER	155mm



**EM-2051** MARBLE CUTTER

POWER	350W
VOLTAGE	220V-240V 50/60Hz
SPEED	8500r/min
PACKING SIZE	67.5x25x38.5CM
PACKING WEIGHT	21.5kg
BLADE DIAMETER	110mm

# ELECTRIC SAW



One-StopTools Station



**EM-2055** MITER SAW

POWER	2200W
VOLTAGE	220V 50/60Hz
SPEED	4100r/min
PACKING SIZE	51.5x37x35.5CM
PACKING WEIGHT	12kg
BLADE DIAMETER	255mm



**EM-2054** MITER SAW

POWER	1800W
VOLTAGE	220V 50/60Hz
SPEED	4000r/min
PACKING SIZE	51.5x37x35.5CM
PACKING WEIGHT	12kg
BLADE DIAMETER	255mm



**EM-1206** BENCH GRINDER

POWER	350W
VOLTAGE	220V-240V 50/60Hz
SPEED	2950r/min
PACKING SIZE	61x42x23CM
PACKING WEIGHT	20kg
BLADE DIAMETER	150mm



**EM-1208** BENCH GRINDER

POWER	450W
VOLTAGE	220V-240V 50/60Hz
SPEED	2550r/min
PACKING SIZE	53.5x36x35.5CM
PACKING WEIGHT	19kg
BLADE DIAMETER	200mm



**EM-1205** BENCH GRINDER

POWER	250W
VOLTAGE	220V-240V 50/60Hz
SPEED	2950r/min
PACKING SIZE	57.5x33x23CM
PACKING WEIGHT	20kg
BLADE DIAMETER	125mm





# MISCELLANEOUS TOOLS



## One-StopTools Station



**EM-520** HOT AIR GUN

POWER	2000W
VOLTAGE	220V-240V 50/60Hz
SPEED	2000r/min
PACKING SIZE	47x25x52CM
PACKING WEIGHT	10kg
Ctn Qty	10pcs



**EM-8810** HOT AIR GUN

POWER	2000W
VOLTAGE	220V 50/60Hz
SPEED	450L/min
PACKING SIZE	45x29x47CM
PACKING WEIGHT	10kg
Ctn Qty	10pcs



**EM-3030** SPRAYER GUN

POWER	80W
VOLTAGE	220V-240V 50/60Hz
SPEED	260ml/min
PACKING SIZE	61.5x27.4x28.5CM
PACKING WEIGHT	7.55kg
Ctn Qty	5pcs



**EM-2052** ELECTRIC MIXTURE

POWER	2400W
VOLTAGE	220V 50/60Hz
SPEED	4800r/min
PACKING SIZE	76x33x47CM
PACKING WEIGHT	29kg
BLADE DIAMETER	32mm



**EM-3100** ELECTRIC DIE GRINDER

POWER	130W
VOLTAGE	220V-240V 50/60Hz
SPEED	3000r/min
PACKING SIZE	66x35x30CM
PACKING WEIGHT	15.59kg
Ctn Qty	10pcs



**EM-600** ELECTRIC DIE GRINDER

POWER	180W
VOLTAGE	220V 50/60Hz
SPEED	5000-32000r/min
PACKING SIZE	59x36.5x37CM
PACKING WEIGHT	21kg
Ctn Qty	10pcs

# MISCELLANEOUS TOOLS



## One-StopTools Station



**EM-4116** STAND DRILL

POWER	550W
VOLTAGE	220V 50/60Hz
SPEED	2220r/min
PACKING SIZE	77.7x45x26CM
PACKING WEIGHT	35kg
BLADE DIAMETER	16mm



**EM-4125** STAND DRILL

POWER	1100W
VOLTAGE	300V 50/60Hz
SPEED	2450r/min
PACKING SIZE	14.1x65x30.5CM
PACKING WEIGHT	85kg
BLADE DIAMETER	25mm



**EM-4132** STAND DRILL

POWER	1100W
VOLTAGE	300V 50/60Hz
SPEED	2450r/min
PACKING SIZE	141.5x85x30.5CM
PACKING WEIGHT	115kg
BLADE DIAMETER	32mm



**EM-2070** ELECTRIC VIBRATOR

POWER	1300W
VOLTAGE	220V-230V 50/60Hz
SPEED	11000r/min
PACKING SIZE	46x32x33CM
PACKING WEIGHT	25kg
Ctn Qty	10pcs



**EM-80V-3HP** ELECTRIC VIBRATOR

POWER	2200W
VOLTAGE	220V-230V 50/60Hz
SPEED	2540r/min
PACKING SIZE	38x27.5x38.5CM
PACKING WEIGHT	11.6kg
Ctn Qty	1pcs



**EM-80V-4HP** ELECTRIC VIBRATOR

POWER	3000W
VOLTAGE	220V-230V 50/60Hz
SPEED	11000r/min
PACKING SIZE	38x27.5x38.5CM
PACKING WEIGHT	12kg
Ctn Qty	1pcs





## MISCELLANEOUS TOOLS



### One-StopTools Station



**EM-2033** ELECTRIC BLOWER

POWER	400W
VOLTAGE	220V-240V 50/60Hz
SPEED	13000r/min
PACKING SIZE	47.5x36.5x37CM
PACKING WEIGHT	13kg
Ctn Qty	10pcs



**EM-2034** ELECTRIC BLOWER

POWER	600W
VOLTAGE	220V-240V 50/60Hz
SPEED	16000r/min
PACKING SIZE	65x41x40CM
PACKING WEIGHT	16kg
Ctn Qty	8pcs



**EM-8008** CROSS 5LINE LASER

VOLTAGE	3.7V
WAVE LENGHT DOWN TO POINT WAVE	650NM
LENGHT AUTOMATIC CORRECTION RANGE	<math>\lt;3^{\circ}</math>
ACCURACY OF VERTICAL & HORIZONTAL LINE	$\pm 1\text{mm}/7\text{m}$
ANGEL OF QUADRANT ELEVATION	120°



**EM-2035** ELECTRIC BLOWER

POWER	1500W
VOLTAGE	220V-240V 50/60Hz
SPEED	13000r/min
PACKING SIZE	52x39x42CM
PACKING WEIGHT	14kg
Ctn Qty	4pcs



**EM-8016** CROSS 16LINE LASER

VOLTAGE	3.7V
WAVE LENGHT DOWN TO POINT WAVE	515NM
LENGHT AUTOMATIC CORRECTION RANGE	<math>\lt;3^{\circ}</math>
ACCURACY OF VERTICAL & HORIZONTAL LINE	$\pm 1\text{mm}/7\text{m}$
ANGEL OF QUADRANT ELEVATION	120°



**EM-8012** CROSS 12LINE LASER

VOLTAGE	3.7V
WAVE LENGHT DOWN TO POINT WAVE	515NM
LENGHT AUTOMATIC CORRECTION RANGE	<math>\lt;3^{\circ}</math>
ACCURACY OF VERTICAL & HORIZONTAL LINE	$\pm 1\text{mm}/7\text{m}$
ANGEL OF QUADRANT ELEVATION	120°

## LITHIUM TOOLS



### One-StopTools Station



**EM-12V** LITHIUM DRILL

VOLTAGE	12V
CHUCK SIZE	10mm
SPEED	0-650r/min
BATTERY	1.5AH
MAX TORQUE	30nm



**EM-14.4V** LITHIUM DRILL

VOLTAGE	14.4V
CHUCK SIZE	10mm
SPEED	0-650r/min
BATTERY	1.5AH
MAX TORQUE	30nm



**EM-16V** LITHIUM DRILL

VOLTAGE	16V
CHUCK SIZE	10mm
SPEED	0-650r/min
BATTERY	1.5AH
MAX TORQUE	30nm



**EM-18V** LITHIUM DRILL

VOLTAGE	18V
CHUCK SIZE	10mm
SPEED	0-650r/min
BATTERY	1.5AH
MAX TORQUE	30nm



**EM-24V** LITHIUM DRILL

VOLTAGE	24V
CHUCK SIZE	10mm
SPEED	0-650r/min
BATTERY	1.5AH
MAX TORQUE	30nm



**EM-21S** LITHIUM SCISSOR

VOLTAGE	21V
SHCAR DIAMETER	30mm
SPEED	0-650r/min
BATTERY	1.5AH





# LITHIUM TOOLS



## One-StopTools Station



**EM-48V LITHIUM HAMMER**

VOLTAGE	48V
CHUCK SIZE	26mm
SPEED	0-1000r/min
BATTERY	3.0AH



**EM-48G LITHIUM GRINDER**

VOLTAGE	48V
BLADE DIAMETER	125mm
SPEED	0-8500r/min
BATTERY	3.0AH



**EM-48W LITHIUM WRENCH**

VOLTAGE	48V
HOLDING CAPACITY	M16
SPEED	0-2000r/min
BATTERY	3.0AH



**EM-24S LITHIUM SAW**

VOLTAGE	24V
RECIPROCATING STROKE	20mm
SPEED	0-3000r/min
BATTERY	1.5AH



**EM-24S-1 LITHIUM SAW**

VOLTAGE	24V
GUIDE SIZE	6"
SPEED	0-3000r/min
BATTERY	3.0AH



**EM-24S-2 LITHIUM SAW**

VOLTAGE	24V
GUIDE SIZE	8"
SPEED	0-3000r/min
BATTERY	3.0AH

# GARDEN TOOLS



## One-StopTools Station



**EM-52ED AUGER DRILL**

POWER	1600W
DISPLACEMENT	52CC
SPEED	7500r/min
PACKING SIZE	45x37x33CM
PACKING WEIGHT	11kg
Ctn Qty	1pcs



**EM-5120 ELECTRIC CHAINSAW**

POWER	1200W
VOLTAGE	220V-230V
SPEED	4500r/min
PACKING SIZE	48x46x35CM
PACKING WEIGHT	16kg
Ctn Qty	4pcs



**EM-2500 GASOLINE CHAINSAW**

POWER	900W
VOLTAGE	220V
SPEED	3000r/min
PACKING SIZE	52x35x30CM
PACKING WEIGHT	20kg
Ctn Qty	4pcs



**EM-5800 GASOLINE CHAINSAW**

POWER	1800W
DISPLACEMENT	90CC
STARTER	METAL
PACKING SIZE	54x52x31CM
PACKING WEIGHT	17kg
Ctn Qty	2pcs



**EM-52S SHOULDER TYPE BRUSHCUTTER**

POWER	1500W
DISPLACEMENT	42.7CC
SPEED	6500r/min
PACKING SIZE	48x35x50 SCM
PACKING WEIGHT	16kg
Ctn Qty	4pcs



**EM-52B BACKPACK BRUSHCUTTER**

POWER	1600W
DISPLACEMENT	52CC
SPEED	7500r/min
PACKING SIZE	33x32x41CM
PACKING WEIGHT	10kg
Ctn Qty	1pcs





# WELDING MACHINE



## One-StopTools Station



**MMA-180 WELDING MACHINE**

Amp	125A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	10-25mm
RATED INPUT POWER	9KVA
TYPE	IGBT 1PCB



**MMA-200 WELDING MACHINE**

Amp	135A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	10-25mm
RATED INPUT POWER	9KVA
TYPE	IGBT 1PCB



**MMA-250 WELDING MACHINE**

Amp	140A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	10-25mm
RATED INPUT POWER	5.7KVA
TYPE	IGBT 1PCB



**MMA-300 WELDING MACHINE**

Amp	140A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	35-50mm
RATED INPUT POWER	5.7KVA
TYPE	IGBT 1PCB



**MMA-350 WELDING MACHINE**

Amp	160A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	35-50mm
RATED INPUT POWER	5.7KVA
TYPE	IGBT 1PCB



**MMA-400 WELDING MACHINE**

Amp	180A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-4.0mm
QUICK JOINT SIZE	35-50mm
RATED INPUT POWER	6.9KVA
TYPE	IGBT 1PCB

# WELDING MACHINE



## One-StopTools Station



**MIG/MMA/TIG-180A WELIDNG MACHINE**

Amp	120A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-3.2mm
QUICK JOINT SIZE	10-25mm
RATED INPUT POWER	5.7KVA
TYPE	IGBT 1PCB



**MIG/MMA/TIG-200C WELIDNG MACHINE**

Amp	160A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-4.0mm
QUICK JOINT SIZE	10-25mm
RATED INPUT POWER	4.5KVA
TYPE	IGBT 1PCB



**TIG/MMA-200A WELIDNG MACHINE**

Amp	160A
VOLTAGE	220V 50/60Hz
ELECTRODE DIAMETRE	1.6-4.0mm
QUICK JOINT SIZE	35-50mm
RATED INPUT POWER	6.9KVA
TYPE	IGBT



**CUT-40A WELIDNG MACHINE**

Amp	40A
VOLTAGE	220V 50/60Hz
ARC-STARTING	TOUCH
CUTTING THICKNESS	4.0mm
RATED INPUT POWER	4.5KVA
TYPE	IGBT 1 PCB





# PORTABLE ELECTRIC CAR WASH



**EM-1508B** PORTABLE CAR WASH

POWER	1300W-1500W-1800W
PRESSURE BAR	120-130-160
FLOW L/min	6L/min
PACKING SIZE	32x31x53CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-1808A** PORTABLE CAR WASH

POWER	1300W-1500W-1800W
PRESSURE BAR	120-130-160
FLOW L/min	6L/min
PACKING SIZE	32x31x53CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-1508A** PORTABLE CAR WASH

POWER	1300W-1500W-1800W
PRESSURE BAR	120-130-160
FLOW L/min	6L/min
PACKING SIZE	32x31x53CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-1408A** PORTABLE CAR WASH

POWER	1400W
PRESSURE BAR	100
FLOW L/min	12L/min
PACKING SIZE	39x22x30CM
PACKING WEIGHT	11kg
Ctn Qty	1pcs



**EM-0204** PORTABLE CAR WASH

POWER	1000W
PRESSURE BAR	100
FLOW L/min	6L/min
PACKING SIZE	29x22x30CM
PACKING WEIGHT	10.5kg
Ctn Qty	1pcs



**EM-3025** PORTABLE CAR WASH

POWER	1500W-1800W
PRESSURE BAR	110-150
FLOW L/min	6L/min
PACKING SIZE	39x22x30CM
PACKING WEIGHT	13kg
Ctn Qty	1pcs

# HIGH PRESSURE ELECTRIC CAR WASH



## One-StopTools Station



**EM-6015** PORTABLE CAR WASH

POWER	3000W
PRESSURE BAR	160
FLOW L/min	10L/min
PACKING SIZE	52x44x60CM
PACKING WEIGHT	40kg
Ctn Qty	1pcs



**EM-1619** PORTABLE CAR WASH

POWER	1600W
PRESSURE BAR	140
FLOW L/min	10L/min
PACKING SIZE	50x44x42CM
PACKING WEIGHT	22kg
Ctn Qty	1pcs



**EM-5007** PORTABLE CAR WASH

POWER	2500W
PRESSURE BAR	130
FLOW L/min	12L/min
PACKING SIZE	54x44x70CM
PACKING WEIGHT	50kg
Ctn Qty	1pcs



**EM-4008** PORTABLE CAR WASH

POWER	2300W
PRESSURE BAR	135
FLOW L/min	12L/min
PACKING SIZE	52x44x60CM
PACKING WEIGHT	40kg
Ctn Qty	1pcs



**EM-150BAR** HIGH PRESSURE PUMP

POWER	4000W
PRESSURE BAR	150
FLOW L/min	11L/min
SPEED R.P. Min/min	1450
PACKING WEIGHT	3kg
Ctn Qty	1pcs



**EM-80SS** STAINLESS FOAM TANK

SIZE	80L-50L
THICKNESS	1.2MM-2MM
PRESSURE	30BAR
PACKING SIZE	44x39x74CM 31X30X50CM
PACKING WEIGHT	12kg-13kg
Ctn Qty	1pcs





# WORKSHOP TOOLS



## One-StopTools Station



### EM-50L 2 IN1 FOAM TANK

SIZE	20L
THICKNESS	1.2MM
PRESSURE	1-3BAR
PACKING SIZE	31x33x60CM
PACKING WEIGHT	12kg
Ctn Qty	1pcs



### EM-80L IRON FOAM TANK

SIZE	80L-50L
THICKNESS	1.2MM-1.5MM
PRESSURE	3BAR
PACKING SIZE	44x39x74CM 31X30X80CM
PACKING WEIGHT	12kg,3kg
Ctn Qty	1pcs



### EM-12GP AIR GREASE PUMP

PRESURE RATIO	50:1
GRASE OUTPUT	30-40Mpa
BARREL CAPACITY	12L
PACKING SIZE	30x36x50CM
PACKING WEIGHT	16kg
Ctn Qty	1pcs



### EM-20GP AIR GREASE PUMP

PRESURE RATIO	50:1
GRASE OUTPUT	30-40Mpa
BARREL CAPACITY	20L
PACKING SIZE	44x44x64CM
PACKING WEIGHT	19kg
Ctn Qty	1pcs



### EM-80OD OIL DRAINER

PRESURE RATIO	8-10kg/cm
BSIN VOLUME	10L
TANK VOLUME	80L
PACKING SIZE	26.5x26.5x54CM
PACKING WEIGHT	22kg
Ctn Qty	1pcs



### EM-80OD-1 OIL DRAINER

PRESURE RATIO	8-10kg/cm
BSIN VOLUME	10L
TANK VOLUME	80L
PACKING SIZE	26.5x26.5x54CM
PACKING WEIGHT	23kg
Ctn Qty	1pcs

# ELECTRIC MOTOR



## One-StopTools Station



### YC SERIES SINGLE-PHASE MOTOR

#### Technical data

Type	Output HP	Output KW	Voltage (V)	Current (A)	Speed (r.p.m)	Eff (%)	Power factor	Start torque Rated torque	Start current Rated current	Max.torqu Rated torqu
EM-80a-2	1/2	0.37	220	3.7	2880	62	0.73	2.8	6.5	1.8
EM-80b-2	3/4	0.55	220	5.3	2880	65	0.73	2.8	6.5	1.8
EM-80c-2	1	0.75	220	6.7	2880	68	0.75	2.8	6.5	1.8
EM-90s-2	1.5	1.1	220	9.1	2880	71	0.77	2.4	7	1.8
EM-90L-2	2	1.5	220	12.1	2900	72	0.78	2.4	7	1.8
EM-100L-2	3	2.2	220	17.1	2900	74	0.79	2.1	7	1.8
EM-80a-4	1/3	0.25	220	3.4	1450	56	0.6	2.8	6	1.8
EM-80b-4	1/2	0.37	220	4.5	1450	60	0.62	2.8	6	1.8
EM-80b-4	3/4	0.55	220	6	1450	64	0.65	2.8	6	1.8
EM-90s-4	1	0.75	220	7.7	1450	67	0.66	2.4	6.5	1.8
EM-90L-4	1.5	1.1	220	10.5	1450	70	0.68	2.4	6.5	1.8
EM-100L-4	2	1.5	220	13.5	1450	72	0.7	2.4	6.5	1.8
EM-112M-4	3	2.2	220	19.3	1450	72	0.72	2.2	6.5	1.8
EM-132SA-4	4	3	220	25.2	1450	74	0.73	2.1	6.5	1.8
EM-132SB-4	5	3.7	220	30	1450	75	0.74	2.1	6.5	1.8
EM-132MA-4	7.5	5.5	220	32.5	1450	81	0.95	2.1	6.5	1.8
EM-132MB-4	10	7.5	220	43.3	1450	83	0.95	2.1	6.5	1.8

100V,110V/220V,60Hz etc. Models are available on request

### YL SERIES SINGLE-PHASE MOTOR

#### Technical data

Type	Output HP	Output W	Voltage (V)	Current (A)	Speed (r.p.m)	Eff (%)	Power factor	Frequency (HZ)	Tstart/Tn	Tstart/Tn	Tmax/Tn
EM-7112	1/2	0.37	220	2.73	2880	67	0.92	50	1.8	6.0	1.8
EM-7122	3/4	0.55	220	3.88	2880	70	0.92	50	1.8	6.0	1.8
EM-7114	1/34	0.25	220	1.99	1400	62	0.92	50	1.8	6.0	1.8
EM-7124	1/2	0.37	220	2.81	1400	65	0.92	50	1.8	6.0	1.8
EM-8012	1	0.75	220	5.15	2810	72	0.92	50	1.8	6.0	1.8
EM-8022	1.5	1.1	220	7.02	2810	75	0.92	50	1.8	6.0	1.8
EM-8014	3/4	0.55	220	4	1410	68	0.92	50	1.8	6.0	1.8
EM-8024	1	0.75	220	5.22	1410	71	0.92	50	1.8	6.0	1.8
EM-90S-2	2	1.5	220	9.44	2820	76	0.95	50	1.8	6.0	1.8
EM-90L-2	3	2.2	220	13.7	2820	77	0.95	50	1.8	6.0	1.8
EM-90S-4	1.5	1.1	220	7.21	1430	73	0.95	50	1.8	6.0	1.8
EM-90L-4	2	1.5	220	9.57	1430	75	0.95	50	1.8	6.0	1.8
EM-100L1-4	3	2.2	220	13.9	1440	76	0.95	50	1.8	6.0	1.8
EM-100L2-4	4	3	220	18.6	1440	77	0.95	50	1.8	6.0	1.8
EM-112M1-4	3	2.2	220	13.9	1450	76	0.95	50	1.8	6.0	1.8
EM-112M1-4	4	3	220	18.6	1450	77	0.95	50	1.8	6.0	1.8
EM-112M2-4	5	3.7	220	23	1450	78	0.95	50	1.8	6.0	1.8
EM-132S1-4	4	3	220	18.6	1460	77	0.95	50	1.8	6.0	1.8
EM-132S2-4	5	3.7	220	23	1460	78	0.95	50	1.8	6.0	1.8





ELECTRIC MOTOR



One-StopTools Station

Technical data of Y2 series

Table with columns: Type, Output KW, Amps (A), Speed (R/min), EFF (%), P.F. CosΦ, RT N.m, LRT RLT, BDT RLT, LRA RLA, Noise Lwdb(A), Weight kg. Includes sub-headers for 380V 50HZ 4P and 380V 50HZ 6P.

ELECTRIC MOTOR



One-StopTools Station

Technical data of series

Table with columns: Type, Power Kw, Amps (A), Speed (rpm), n (%), Cos (Φ), Tst Tn, Ist In, Tmin Tn, Tmax Tn. Includes sub-headers for 380V 50HZ 2P, 380V 50HZ 4P, and 380V 50HZ 6P.





## DIRECT AIR COMPRESSOR

One-StopTools Station



A-TYPE



B-TYPE



A-TYPE



B-TYPE

型号Model	匹配功率Power	缸径Cylinder	转速Rated speed	流量Capacity	压力Pressure	噪音Noises	容积Tank	净重N.W	体积Dimension				
TYPE	KW	HP	r/min	L/min	CFM	PSI	Bar	db(a)	L	Usgal	Kg	(L×W×H)cm	
<b>EM-18L</b>	0.75	1	Φ 42 x 1	2850/3450	118/142	4.2/5.1	115	8	89	18	4.74	18	53x24x47
<b>EM-25L</b>	0.75	1	Φ 42 x 1	2850/3450	118/142	4.2/5.1	115	8	89	24	6.4	20	58x27.5x59.5
<b>EM-40L</b>	1.8	2.5	Φ 47 x 1	2850/3450	198/238	7/8.4	115	8	89	40	10.6	25	71x31x70
<b>EM-50L</b>	2.2	3	Φ 47 x 1	2850/3450	198/238	7/8.4	115	8	90	50	13.3	31	74x32x71

## V BELT AIR COMPRESSOR

One-StopTools Station



型号Model	匹配功率Power	缸径Cylinder	冲程Stroke	转速Rated speed	流量Capacity	压力Pressure	容积Tank	净重N.W	体积Dimension				
TYPE	KW	HP	mm	r/min	L/min	CFM	PSI	Bar	L	Usgal	Kg	(L×W×H)cm	
<b>EM-1051-50L</b>	1.1	1.5		35	2850	202	7.1	115	8	50	13.3	80	
<b>EM-2051-50L</b>	1.5	2.2		35	2850	207	7.3	115	8	50	13.3	83	
<b>EM-2051-70L</b>	1.5	2.2		35	2850	210	8	115	8	70	15.6	90	
<b>EM-2051-100L</b>	2.0	3		35	2850	215	8.5	115	8	100	26.6	102	
<b>EM-2051-150L</b>	2.0	3		35	2850	225	9.5	115	8	150	40.8	110	
<b>EM-2065-150L</b>	2.0	3		35	2850	225	9.5	115	8	150	40.8	110	
<b>EM-2065-200L</b>	3.0	4		35	2850	250	11.2	115	8	200	53.3	130	
<b>EM-3065-200L</b>	3.0	4		35	2850	250	11.2	115	8	200	53.3	130	
<b>EM-3065-300L</b>	4.0	5.5		35	2850	350	19.5	115	8	300	80	190	
<b>EM-3090-300L</b>	4.0	5.5		35	2850	350	19.5	115	8	300	80	190	
<b>EM-3090-500L</b>	5.5	7.5		35	2850	550	25.5	115	8	500	100	250	





# OIL FREE AIR COMPRESSOR

One-StopTools Station



Remarks: silent cabinet type, multi-heads combination, various tank sizes and other special requirements can be customized. Welcome to call us for discussion.

Model Numbers	Power		Speed	Air Displacement			Max Pressure		Tank		N.W	Dimensions
	KW	HP	R.P.M	L/min	C.F.M	Bar	Psi	L	Gal	KG	LxWxH(cm)	
EM-550W-1	0.55	0.75	1380	102	3.6	8	115	8	2.4	21	48x20.5x55.2	
EM-550W-1	0.55	0.75	1380	102	3.8	8	115	25	6.3	22	59.5x28.5x59	
EM-750W-1	0.75	1.0	1380	200	7.1	8	115	50	10.6	34	72x33.5x70	
EM-750W-2	2x0.75	2x1.0	1380	136	9.5	8	115	55	14.5	53	70.5x35x63	
EM-1100W-2	2x1.1	2x1.5	1380	250	14.1	8	115	100	26.4	66	90x45x78	
EM-1500W-2	2x1.5	2x2.0	1380	350	19.8	8	115	100	26.4	68	90x45x78	
EM-550W-3	3x0.55	3x0.75	1380	306	10.8	8	115	100	26.4	85	108x41x87	
EM-750W-3	3x0.75	3x1.0	1380	405	14.3	8	115	200	53.3	129	148x45x93	

# SURFACE PUMP

One-StopTools Station



**EM-60** SURFACE PUMP

POWER	370W
VOLTAGE	220V-230V
OUTLET	1"
PACKING SIZE	25.5x15x16.5CM
PACKING WEIGHT	31.5kg
Ctn Qty	6pcs



**EM-70** SURFACE PUMP

POWER	550W
VOLTAGE	220V-230V
OUTLET	1"
PACKING SIZE	33x18x20CM
PACKING WEIGHT	36kg
Ctn Qty	4pcs



**EM-80** SURFACE PUMP

POWER	750W
VOLTAGE	220V-230V
OUTLET	1"
PACKING SIZE	33x18x20CM
PACKING WEIGHT	38kg
Ctn Qty	4pcs



**EM-158** SURFACE PUMP

POWER	750W
VOLTAGE	220V-230V
OUTLET	1"
PACKING SIZE	34x21x26CM
PACKING WEIGHT	13.8kg
Ctn Qty	1pcs



**EM-20** CENTRIFUGAL PUMP

POWER	1500W
VOLTAGE	220V-230V
OUTLET	2" x 2"
PACKING SIZE	42x25x29CM
PACKING WEIGHT	24kg
Ctn Qty	1pcs



**EM-30** CENTRIFUGAL PUMP

POWER	2200W
VOLTAGE	220V-230V
OUTLET	3" x 3"
PACKING SIZE	51x29x36CM
PACKING WEIGHT	37kg
Ctn Qty	1pcs





# SURFACE PUMP



**EM-40** CENTRIFUGAL PUMP

POWER	3000W
VOLTAGE	220V-230V
OUTLET	4" x 4"
PACKING SIZE	51x29x36CM
PACKING WEIGHT	39kg
Ctn Qty	1pcs



**EM-JET80** JET PUMP

POWER	550W
VOLTAGE	220V-240V
OUTLET	1"
PACKING SIZE	44x20x23CM
PACKING WEIGHT	14kg
Ctn Qty	1pcs



**EM-JET100** JET PUMP

POWER	750W
VOLTAGE	220V-240V
OUTLET	1"
PACKING SIZE	44x20x23CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-200** AUTOMATIC HOT AND COLD PUMP

POWER	2000W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	1.5
HEAD	25M
Ctn Qty	1pcs



**EM-300** AUTOMATIC HOT AND COLD PUMP

POWER	300W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	2
HEAD	30M
Ctn Qty	1pcs



**EM-400** AUTOMATIC HOT AND COLD PUMP

POWER	400W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	2
HEAD	35M
Ctn Qty	1pcs

# ELECTRIC PUMP



## One-StopTools Station



**EM-JET24L** JET TANK PUMP

POWER	550W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	80L/min
PACKING WEIGHT	17kg
Ctn Qty	1pcs



**EM-JET18L** JET TANK PUMP

POWER	750W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	50L/min
PACKING WEIGHT	16kg
Ctn Qty	1pcs



**EM-JET24L** JET TANK PUMP

POWER	1000W
VOLTAGE	220V-240V
OUTLET	1"
FLOW	100L/min
PACKING WEIGHT	18kg
Ctn Qty	1pcs



**EM-QDX0.37-1"** SUBMERSIBLE PUMP

POWER	370W
VOLTAGE	220V-240V
MAX-HEAD	16M
PACKING SIZE	41x17x23CM
PACKING WEIGHT	9kg
Ctn Qty	1pcs



**EM-QDX0.55-1"** SUBMERSIBLE PUMP

POWER	550W
VOLTAGE	220V-240V
MAX-HEAD	20M
PACKING SIZE	41x19x23CM
PACKING WEIGHT	10kg
Ctn Qty	1pcs



**EM-QDX0.75-1"** SUBMERSIBLE PUMP

POWER	750W
VOLTAGE	220V-240V
MAX-HEAD	32M
PACKING SIZE	42x22x23CM
PACKING WEIGHT	14kg
Ctn Qty	1pcs





# SUBMERSIBLE PUMP



One-StopTools Station



**EM-QDX1.1-2" SUBMERSIBLE PUMP**

POWER	1100W
VOLTAGE	220V-240V
MAX-HEAD	26M
PACKING SIZE	45x21x27CM
PACKING WEIGHT	15.5kg
Ctn Qty	1pcs



**EM-QDX1.5-2" SUBMERSIBLE PUMP**

POWER	1500W
VOLTAGE	220V-240V
MAX-HEAD	10M
PACKING SIZE	49x26x22CM
PACKING WEIGHT	17kg
Ctn Qty	1pcs



**EM-QDX1.2-2" SUBMERSIBLE PUMP**

POWER	750W
VOLTAGE	220V-240V
MAX-HEAD	18M
PACKING SIZE	42x22x22CM
PACKING WEIGHT	14kg
Ctn Qty	1pcs



**EM-QDX1.5-3" SUBMERSIBLE PUMP**

POWER	1500W
VOLTAGE	220V-240V
MAX-HEAD	9M
PACKING SIZE	49x23x29CM
PACKING WEIGHT	18kg
Ctn Qty	1pcs



**EM-QDX2.2-4" SUBMERSIBLE PUMP**

POWER	2200W
VOLTAGE	220V-240V
MAX-HEAD	2M
PACKING SIZE	46x30x20CM
PACKING WEIGHT	25kg
Ctn Qty	1pcs



**EM-QDX4.5-6" SUBMERSIBLE PUMP**

POWER	4500W
VOLTAGE	220V-240V
MAX-HEAD	13M
PACKING SIZE	61x25x40CM
PACKING WEIGHT	39kg
Ctn Qty	1pcs

# DIRTY WATER SEWAGE



One-StopTools Station



**EM-QX6-1.1-2" SEWAGE PUMP**

POWER	1100W
VOLTAGE	220V-230V
MAX-HEAD	26M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-QX8-1.5-2" SEWAGE PUMP**

POWER	1500W
VOLTAGE	220V-230V
MAX-HEAD	30M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-QX12-2.2-2" SEWAGE PUMP**

POWER	2200W
VOLTAGE	220V-230V
MAX-HEAD	34M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-QX15-5.5-2" SEWAGE PUMP**

POWER	4000W
VOLTAGE	380V
MAX-HEAD	55M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-QX15-5.5-2" SEWAGE PUMP**

POWER	5500W
VOLTAGE	380V
MAX-HEAD	80M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs



**EM-QX15-7.5-2" SEWAGE PUMP**

POWER	7500W
VOLTAGE	380V
MAX-HEAD	80M
PACKING SIZE	37x33x40CM
PACKING WEIGHT	15kg
Ctn Qty	1pcs





# SUBMERSIBLE PUMP



One-StopTools Station



3.5SD/4SD 3.5SD/4SD 3SD/4SD 3SD/3.5SD/4SD 2SD/2.5SD 3QJD/3.5QJD/4QJD

## SUBMERSIBLE PUMP

## DESCRIPTION

POWER	0.25HP-10HP
VOLTAGE	220V-380V
SPEED	2850r

# SUBMERSIBLE PUMP



One-StopTools Station



6SP 6SP 6SR 6SR 6SD

## SUBMERSIBLE PUMP

## DESCRIPTION

POWER	3HP- 40HP
VOLTAGE	220V-380V
SPEED	2850r





DC  
SOLAR PUMP



One-StopTools Station

ITEM NO.	DC VOLTAGE [V]	BEST INPUT VOLTAGE VOC [V]	POWER [W]	MAX FLOW [M <sup>3</sup> /H]	MAX HEAD [M]	OUTLET [INCH]
1	24	11-55	300	3.0	30	1.25"
2	48	45-150	400	3.0	50	1.25"
3	72	60-150	600	3.0	80	1.25"
4	96	60-200	750	3.0	100	1.25"
5	144	90-340	1100	3.0	140	1.25"
6	192	90-430	1500	3.0	170	1.25"
7	280	100-490	2200	3.5	260	1.25"
8	72	60-150	600	5.5	50	1.25"
9	96	60-200	750	5.5	70	1.25"
10	144	90-340	1100	5.5	100	1.25"
11	192	90-430	1500	6.0	130	1.25"
12	280	100-490	2200	6.0	190	1.25"
13	385	100-750	3000	6.5	260	1.25"
14	72	60-150	600	7.0	40	1.5"
15	96	60-200	750	8.0	50	1.5"
16	144	90-340	1100	8.0	80	1.5"
17	192	90-430	1500	9.0	100	1.5"
18	280	100-490	2200	9.0	140	1.5"
19	385	100-750	3000	9.5	180	1.5"
20	96	60-200	750	15.0	30	2"
21	144	90-340	1100	15.0	45	2"
22	192	90-430	1500	16.0	70	2"
23	280	100-490	2200	17.0	100	2"
24	385	100-750	3000	17.0	130	2"
25	192	90-430	1500	21.0	35	2"
26	280	100-490	2200	21.0	55	2"
27	385	100-750	3000	23.0	65	2"
28	385	100-750	3000	28.0	55	2"
29	192	90-430	1500	25.0	30	3"
30	280	100-490	2200	25.0	45	3"
31	385	100-750	3000	30.0	55	3"
32	385	100-750	3000	40.0	30	3"

DC  
SOLAR PUMP



One-StopTools Station

ITEM NO.	DC VOLTAGE [V]	BEST INPUT VOLTAGE VOC [V]	POWER [W]	MAX FLOW [M <sup>3</sup> /H]	MAX HEAD [M]	OUTLET [INCH]
1	24	11-55	300	3.0	30	1.25"
2	48	45-150	400	3.5	50	1.25"
3	72	60-150	600	3.5	70	1.25"
4	96	60-200	750	3.5	90	1.25"
5	144	90-340	1100	3.5	120	1.25"
6	192	90-430	1500	4.5	130	1.25"
7	280	100-490	2200	4.5	190	1.25"
8	48	45-150	400	6.0	30	1.5"
9	72	60-150	600	6.0	40	1.5"
10	96	60-200	750	6.5	55	1.5"
11	144	90-340	1100	6.5	85	1.5"
12	192	90-430	1500	7.0	110	1.5"
13	280	100-490	2200	7.5	150	1.5"
14	385	280-780	3000	7.5	210	1.5"
15	72	60-150	600	9.0	30	2"
16	96	60-200	750	9.0	45	2"
17	144	90-340	1100	9.0	65	2"
18	192	90-430	1500	10.0	95	2"
19	280	100-490	2200	10.0	130	2"
20	385	280-780	3000	10.0	170	2"
21	96	60-200	750	13.0	30	2"
22	144	90-340	1100	14.0	45	2"
23	192	90-430	1500	14.5	70	2"
24	280	100-490	2200	14.5	100	2"
25	385	280-780	3000	14.5	120	2"
26	192	90-430	1500	20.0	45	2"
27	280	100-490	2200	20.0	65	2"
28	385	280-780	3000	20.0	75	2"
29	280	100-490	2200	30.0	35	2"
30	385	280-780	3000	30.0	50	2"





DC  
SOLAR PUMP



One-StopTools Station

ITEM NO.	DC VOLTAGE (V)	BEST INPUT VOLTAGE VOC (V)	POWER (W)	MAX FLOW (M <sup>3</sup> /H)	MAX HEAD (M)	OUTLET (INCH)
1	24	11-55	300	3.0	30	1"
2	48	45-150	400	3.5	50	1"
3	72	60-150	600	3.5	70	1"
4	96	60-200	750	3.5	90	1"
5	144	90-340	1100	3.5	120	1"
6	72	60-150	600	6.0	40	2"
7	96	60-200	750	6.5	55	2"
8	144	90-340	1100	6.5	80	2"
9	192	90-430	1500	7.0	110	2"
10	280	100-490	2200	7.5	150	2"
11	96	60-200	750	9.0	45	2"
12	144	90-340	1100	9.0	65	2"
13	192	90-430	1500	10.0	95	2"
14	280	100-490	2200	10.0	130	2"
15	144	90-330	1100	14	45	2"
16	192	90-430	1500	14.5	65	2"
17	280	100-490	2200	14.5	95	2"

DC  
SOLAR PUMP



One-StopTools Station

ITEM NO.	DC VOLTAGE (V)	BEST INPUT VOLTAGE VOC (V)	POWER (W)	MAX FLOW (M <sup>3</sup> /H)	MAX HEAD (M)	OUTLET (INCH)
1	24	11-55	300	3.0	25	1"
2	48	45-150	400	3.0	45	1"
3	72	60-150	600	3.5	70	1"
4	96	60-200	750	3.5	90	1"
5	144	90-340	1100	3.5	120	1"
6	192	90-430	1500	3.5	150	1"
7	72	60-150	600	6.0	40	1"
8	96	60-200	750	6.5	55	1"
9	144	90-430	1100	6.5	80	1"
10	192	90-430	1500	6.5	120	1"
11	24	11-55	180	1.0	55	0.75"
12	24	11-55	250	1.2	65	0.75"
13	48	45-150	400	1.5	85	0.75"
14	72	60-150	500	1.9	110	0.75"
15	96	60-200	750	2.0	130	0.75"
16	72	60-150	600	2.3	85	1"
17	96	60-200	750	3.6	110	1"





## AC/DC SOLAR PUMP



One-StopTools Station

ITEM NO.	AC INPUT VOLTAGE [V]	DC INPUT VOLTAGE VOC [V]	POWER [W]	MAX FLOW (M <sup>3</sup> /H)	MAX HEAD (M)	OUTLET (INCH)	
1	4EMSC3.5-70-72-600-H	90~240	60~200	600	3.5	70	1.25"
2	4EMSC3.5-90-96-750-H	90~240	60~240	750	3.5	90	1.25"
3	4EMSC3.5-120-144-1100-H	90~240	90~340	1100	3.5	120	1.25"
4	4EMSC4.5-130-192-1500-H	90~240	90~430	1500	4.5	130	1.25"
5	4EMSC4.5-190-280-2200-H	90~240	100~490	2200	4.5	190	1.25"
6	4EMSC6.0-40-72-600-H	90~240	60~200	600	6.0	40	1.5"
7	4EMSC6.5-55-96-750-H	90~240	60~240	750	6.5	55	1.5"
8	4EMSC6.5-85-144-1100-H	90~240	90~340	1100	6.5	85	1.5"
9	4EMSC7.0-110-192-1500-H	90~240	90~430	1500	7.0	110	1.5"
10	4EMSC7.5-150-280-2200-H	90~240	100~490	2200	7.5	150	1.5"
11	4EMSC9.0-30-72-600-H	90~240	60~200	600	9.0	30	2"
12	4EMSC9.0-45-96-750-H	90~240	60~240	750	9.0	45	2"
13	4EMSC9.0-65-144-1100-H	90~240	90~340	1100	9.0	65	2"
14	4EMSC10.0-95-192-1500-H	90~240	90~430	1500	10.0	95	2"
15	4EMSC10.0-130-280-2200-H	90~240	100~490	2200	10.0	130	2"
16	4EMSC13.0-30-96-750-H	90~240	60~200	750	13.0	30	2"
17	4EMSC14.0-45-144-1100-H	90~240	90~340	1100	14.0	45	2"
18	4EMSC14.5-70-192-1500-H	90~240	90~430	1500	14.5	70	2"
19	4EMSC14.5-100-280-2200-H	90~240	100~490	2200	14.5	100	2"
20	4EMSC20.0-45-192-1500-H	90~240	90~430	1500	20.0	45	2"
21	4EMSC20.0-65-280-2200-H	90~240	100~490	2200	20.0	65	2"
22	4EMSC30.0-35-280-2200-H	90~240	100~490	2200	30.0	35	2"

## AC/DC SOLAR PUMP



One-StopTools Station

ITEM NO.	AC INPUT VOLTAGE [V]	DC INPUT VOLTAGE VOC [V]	POWER [W]	MAX FLOW (M <sup>3</sup> /H)	MAX HEAD (M)	OUTLET (INCH)	
1	4EMPSS3.0-80-72-600-H	90~240	60~200	600	3.0	80	1.25"
2	4EMPSS3.0-100-96-750-H	90~240	60~240	750	3.0	100	1.25"
3	4EMPSS3.0-140-144-1100-H	90~240	90~340	1100	3.0	140	1.25"
4	4EMPSS3.0-170-192-1500-H	90~240	90~430	1500	3.0	170	1.25"
5	4EMPSS3.5-260-280-2200-H	90~240	100~490	2200	3.5	260	1.25"
6	4EMPSS5.5-50-72-600-H	90~240	60~200	600	5.5	50	1.25"
7	4EMPSS5.5-70-96-750-H	90~240	60~240	750	5.5	70	1.25"
8	4EMPSS5.5-100-144-1100-H	90~240	90~340	1100	5.5	100	1.25"
9	4EMPSS6.0-130-192-1500-H	90~240	90~430	1500	6.0	130	1.25"
10	4EMPSS6.0-190-280-2200-H	90~240	100~490	2200	6.0	190	1.25"
11	4EMPSS7.0-40-72-600-H	90~240	60~200	600	7.0	40	1.5"
12	4EMPSS8.0-50-96-750-H	90~240	60~240	750	8.0	50	1.5"
13	4EMPSS8.0-80-144-1100-H	90~240	90~340	1100	8.0	80	1.5"
14	4EMPSS9.0-100-192-1500-H	90~240	90~430	1500	9.0	100	1.5"
15	4EMPSS9.0-140-280-2200-H	90~240	100~490	2200	9.0	140	1.5"
16	4EMPSS15.0-30-96-750-H	90~240	60~240	750	15.0	30	2"
17	4EMPSS15.0-45-144-1100-H	90~240	90~340	1100	15.0	45	2"
18	4EMPSS16.0-70-192-1500-H	90~240	90~430	1500	16.0	70	2"
19	4EMPSS17.0-100-280-2200-H	90~240	100~490	2200	17.0	100	2"
20	4EMPSS21.0-40-192-1500-H	90~240	90~430	1500	21.0	40	2"
21	4EMPSS21.0-60-280-2200-H	90~240	100~490	2200	21.0	60	2"
22	6EMPSS25.0-30-192-1500-H	90~240	90~430	1500	25.0	30	3"
23	6EMPSS25.0-45-280-2200-H	90~240	100~490	2200	25.0	45	3"





## GASOLINE PUMP & ENGINE

One-StopTools Station



**EM-50A-80A-100A**



**EM-50B-80B-100B**



**EM-GX200**



**EM-GX20P**

## GASOLINE GENERATOR

One-StopTools Station



**H-TYPE**



**X-TYPE**



**M-TYPE**



**Y-TYPE**





**DIESEL  
SERIES**



**EM-170F-173F-178F-178FA  
180F-186F-186FA-188FA-192F**



**EM-50D-80D-100D**



**5.5/6.5/7.5/8.5 kw**



**5.5/6.5/7.5/8.5 kw**

**DIESEL  
SERIES**



**One-StopTools Station**

**EM-6.5KVA-1000KVA**





# CONSTRUCTION MACHINERY

One-StopTools Station



## CHINA OFFICE

- ☎ +86 159 5898 4000 / 188 5799 2910
- 📍 3201, Floor 32, Block A, Jinrong Business District, Futian, Yiwu City, Zhejiang Province
- 📍 19440, 4th Floor, Gate 35, Area G, Phase II, Yiwu International Trade City
- 📍 19359, 4th floor, Gate no:33, L Area, Phase II, International Trade City, Yiwu

## DUBAI OFFICE

- ☎ +971 52 531 40 40
- 📍 Shop No.10, Al Tawakal Building, Al Borj Street, Baniyas Square, Deira, Dubai, UAE

## AFGHANISTAN OFFICE

- 📍 Herat, Afghanistan
- ☎ +937 07 400 429 / +93 700 400 429
- 📍 Kandahar, Afghanistan
- ☎ +93 700 332 090 / +93 700 400 429
- 📍 Mazar Sharif, Afghanistan
- ☎ +93 799 446 070

## UZBEKISTAN OFFICE

- ☎ +998 97 757 01 64 / +998 99 367 34 44
- 📍 Tashkent-Uchtepa District-Orikzor Bazaar Stroygorod Market-9th Block-59th Store



**Khoshbakht**  
**G R O U P**

